



**STD and HIV Infection by Public Health District of Residence – Idaho  
January - March 2019\***

District	HIV Infection†	Chlamydia	Gonorrhea	Early Syphilis**	Congenital Syphilis	Late or Unknown	TOTAL
1	1	216	31	1	0	1	250
2	1	91	11	2	0	2	107
3	2	402	81	1	0	0	486
4	3	662	152	17	0	3	837
5	0	196	37	0	0	2	235
6	0	145	38	1	0	1	185
7	0	121	13	1	0	2	137
<b>Total</b>	<b>7</b>	<b>1,833</b>	<b>363</b>	<b>23</b>	<b>0</b>	<b>11</b>	<b>2,237</b>

**STD and HIV Infection by Public Health District of Residence – Idaho  
January – March 2018\***

District	HIV Infection†	Chlamydia	Gonorrhea	Early Syphilis**	Congenital Syphilis	Late or Unknown	TOTAL
1	0	204	45	4	0	1	254
2	0	111	7	1	0	0	119
3	1	384	45	0	0	0	430
4	2	548	74	6	0	0	630
5	1	176	15	2	1	1	196
6	0	106	18	1	0	0	125
7	0	125	9	1	0	1	136
<b>Total</b>	<b>4</b>	<b>1,654</b>	<b>213</b>	<b>15</b>	<b>1</b>	<b>3</b>	<b>1,890</b>

\*Data are provisional. Percentages may not sum 100 due to rounding.

†Newly diagnosed HIV infection among residents of Idaho, including concurrent HIV Stage 3 (AIDS) diagnosis.

\*\*Syphilis of ≤ 1 year duration: primary, secondary, and early latent syphilis.

†Syphilis of > 1 year or unknown duration: late symptomatic, late latent, and unknown duration.

HIV infection as defined by CDC inclusive of AIDS, where AIDS is now referred to as "HIV Stage 3."  
HIV Stage 1, 2, 3, and Unknown are surveillance case definitions which take into account CD4 levels and clinical criteria.

For more information, visit [www.cdc.gov/nndss](http://www.cdc.gov/nndss)



Idaho District Health Departments		
<b>District 1</b>	Coeur d'Alene	415-5100
<b>District 2</b>	Lewiston	799-3100
<b>District 3</b>	Caldwell	455-5300
<b>District 4</b>	Boise	375-5211
<b>District 5</b>	Twin Falls	734-5900
<b>District 6</b>	Pocatello	233-9080
<b>District 7</b>	Idaho Falls	522-0310

Persons Presumed Living <sup>1</sup> with HIV Infection by Stage 3 (AIDS) Status – Idaho, reported 1/1/1984 – 3/31/2019							
Public Health District	HIV Infection not yet Stage 3 (AIDS)			HIV Infection Stage 3 (AIDS)			
	Reported <sup>2</sup>	Reported Deceased	Presumed Living	Reported <sup>3</sup>	Reported Deceased	Presumed Living	Total Presumed Living
1	109	10	99	214	90	124	223
2	57	12	45	93	34	59	104
3	132	15	117	215	76	139	256
4	497	52	445	642	272	370	815
5	95	12	83	149	53	96	179
6	84	13	71	158	69	89	160
7	82	6	76	121	53	68	144
<b>TOTAL</b>	<b>1,056</b>	<b>120</b>	<b>936</b>	<b>1,592</b>	<b>647</b>	<b>945</b>	<b>1,881</b>

<sup>1</sup> Presumed living: Cases ever reported in Idaho and not reported as deceased

<sup>2</sup> Number of reported individuals with HIV Infection (not yet HIV Stage 3 [AIDS]) ever reported in Idaho, excluding those who were concurrently diagnosed with HIV Stage 3 (AIDS)

<sup>3</sup> Number of individuals with Stage 3 HIV Infection (AIDS) ever reported in Idaho

# HIV and AIDS (HIV Stage 3) reports among residents of Idaho at diagnosis, by case status through March 31, 2019

		HIV Infection not yet Stage 3 (AIDS)		HIV Infection Stage 3 (AIDS)		COMBINED	
Sex							
Male		511	84%	769	85%	1,280	84%
Female		98	16%	138	15%	236	16%
Total		609	100%	907	100%	1,516	100%
Pediatric/Adult & Adolescent							
Adults/Adolescents (13 or above)		606	100%	901	99%	1,507	99%
Pediatric (<13 years)		3	0%	6	1%	9	1%
Total		609	100%	907	100%	1,516	100%
Race/Ethnicity							
Hispanic - All Races		73	12%	111	12%	184	12%
Not Hispanic	American Indian/Alaska Native	12	2%	12	1%	24	2%
	Asian	8	1%	3	0%	11	1%
	Black	35	6%	38	4%	73	5%
	Native Hawaiian/Pacific Islander	0	0%	0	0%	0	0%
	White	459	75%	726	80%	1,185	78%
	Legacy Asian/Pacific Islander	0	0%	2	0%	2	0%
	Multi-race	5	1%	8	1%	13	1%
	Unknown	17	3%	7	1%	24	2%
Total		609	100%	907	100%	1,516	101%
Exposure Categories - Adults/Adolescents							
Men who have sex with men (MSM)		294	49%	452	50%	746	50%
Injection drug use		56	9%	93	10%	149	10%
MSM and inject drugs		69	11%	86	10%	155	10%
Hemophilia/Coagulation disorder		1	0%	18	2%	19	1%
High-risk heterosexual contact		67	11%	110	12%	177	12%
Presumed heterosexual contact		12	2%	20	2%	32	2%
Receipt of blood, components, or tissue		2	0%	11	1%	13	1%
Other/risk not reported or identified		105	17%	111	12%	216	14%
Total		606	100%	901	100%	1,507	100%
Exposure Categories - Pediatric							
Hemophilia/Coagulation disorder		0	0%	0	0%	0	0%
Mother with/at risk for HIV infection		3	100%	3	50%	6	67%
Receipt of blood, components, or tissue		0	0%	2	33%	2	22%
Other/risk not reported or identified		0	0%	1	17%	1	11%
Total		3	100%	6	100%	9	100%
Cases by Age Group							
Under 5		3	0%	2	0%	5	0%
5-12		0	0%	1	0%	1	0%
13-19		13	2%	8	1%	21	1%
20-29		255	42%	140	15%	395	26%
30-39		169	28%	349	38%	518	34%
40-49		112	18%	257	28%	369	24%
Over 49		57	9%	150	17%	207	14%
Unknown		0	0%	0	0%	0	0%
Total		609	100%	907	100%	1,516	99%

This table excludes cases of HIV or AIDS (HIV Stage 3) first diagnosed in other states. Data are provisional. Percentages may not equal 100 due to rounding. Reports of HIV and AIDS cases should be made to the Idaho Department of Health & Welfare as required by Idaho Code 39-602. Data collection and publication are made possible through a federal grant from the Centers for Disease Control and Prevention – Department of Health and Human

Services. Idaho statistics are posted on the Internet four times per year. Interested parties may e-mail Allen Haumann at [allen.haumann@dhw.idaho.gov](mailto:allen.haumann@dhw.idaho.gov) to be placed on an e-mail alert group to be signaled when each new issue of statistics is published.